



outdoor



OUTDOOR

- Cylinders
- Plafo
- Tubes
- Bollards
- Natural aluminium
- Stainless steel
- Inground





67130C 230V | GU10 | 35W | IP54 | Die cast

67130C/W White
67130C/G Grey
67130C/BR Rust Brown

CE, ENEC, RoHS, Recycle, Dimmable

30 units per box

Dimensions: 102mm height, 65mm diameter

67130D 230V | GU10 | 35W | IP54 | Die cast

67130D/W White
67130D/G Grey

CE, ENEC, RoHS, Recycle, Dimmable

20 units per box

Dimensions: 98mm height, 63mm width

67130E 230V | GU10 | 35W | IP54 | Die cast

67130E/G Grey
67130E/BR Rust Brown

CE, ENEC, RoHS, Recycle, Dimmable

18 units per box

Dimensions: 121mm height, 65mm diameter

67130F 230V | GU10 | 35W | IP54 | Die cast

67130F/G Grey
67130F/BR Rust Brown

CE, ENEC, RoHS, Recycle, Dimmable

20 units per box

Dimensions: 120mm height, 65mm width

67130 230V | GU10 | 2x35W | IP54 | Die cast

67130/W White
67130/G Grey
67130/BR Rust Brown

CE, ENEC, RoHS, Recycle, Dimmable

18 units per box

Dimensions: 155mm height, 65mm diameter

67130A 230V | GU10 | 2x35W | IP54 | Die cast

67130A/W White
67130A/G Grey

CE, ENEC, RoHS, Recycle, Dimmable

20 units per box


Dimensions: 154mm height, 63mm width



67132C

230V | E27 PAR30 | 75W | IP54 | Die cast


- 67132C/W White
- 67132C/G Grey
- 67132C/BR Rust Brown



67132D

230V | E27 PAR30 | 75W | IP54 | Die cast


- 67132D/W White
- 67132D/G Grey



67132E

230V | E27 PAR30 | 75W | IP54 | Die cast


- 67132E/G Grey
- 67132E/BR Rust Brown



67132F

230V | E27 PAR30 | 75W | IP54 | Die cast


- 67132F/G Grey
- 67132F/BR Rust Brown



67132

230V | E27 PAR30 | 2x75W | IP54 | Die cast


- 67132/W White
- 67132/G Grey
- 67132/BR Rust Brown



67132A

230V | E27 PAR30 | 2x75W | IP54 | Die cast

- 67132A/W White
- 67132A/G Grey






67130J

230V | GU10 | 11W | IP54 | Die cast

- 67130J/W White
- 67130J/G Grey
- 67130J/BR Rust Brown




Suitable for GU10 CFL and LED



67130H

230V | GU10 | 2x11W | IP54 | Die cast

- 67130H/W White
- 67130H/G Grey
- 67130H/BR Rust Brown




Suitable for GU10 CFL and LED



67130L

230V | GU10 | 11W | IP54 | Die cast

- 67130L/W White
- 67130L/G Grey
- 67130L/BR Rust Brown




Suitable for GU10 CFL and LED



67130K

230V | GU10 | 2x11W | IP54 | Die cast

- 67130K/W White
- 67130K/G Grey
- 67130K/BR Rust Brown



Suitable for GU10 CFL and LED



67134P 230V | GX53 | 9W | IP54 | Die cast

67134P/G Grey

CE, ENEC, Recycle, Dimmer, 18 units per box

100mm height, 99mm diameter



67134E 230V | GX53 | 9W | IP54 | Die cast

67134E/G Grey

CE, ENEC, Recycle, Dimmer, 12 units per box

142mm height, 99mm diameter



67134 230V | GX53 | 2x9W | IP54 | Die cast

67134/G Grey

CE, ENEC, Recycle, Dimmer, 12 units per box

185mm height, 99mm diameter




67134F 230V | GX53 | 9W | IP54 | Die cast

67134F/W White
67134F/G Grey

CE, ENEC, Recycle, Dimmer, 12 units per box

107mm height, 147mm width, 158mm depth



67134A 230V | GX53 | 2x9W | IP54 | Die cast

67134A/W White
67134A/G Grey

CE, ENEC, Recycle, Dimmer, 8 units per box

108mm height, 150mm width, 158mm depth



67104P 230V | GX53 | 9W | IP54 | Die cast

67104P/G Grey

CE, Recycled, Energy Efficient, Dimmable, 50mm height, 140mm diameter, 30 units per box, Yellow beam spread.

67106P 230V | GX53 | 9W | IP54 | Die cast

67106P/G Grey

CE, Recycled, Energy Efficient, Dimmable, 50mm height, 140mm diameter, 30 units per box, Yellow beam spread.

67200 230V | GX53 | 9W | IP54 | Die cast


67200/G Grey

CE, Recycled, Energy Efficient, Dimmable, 56mm height, 132mm diameter, 20 units per box, Yellow beam spread.

67200A 230V | GX53 | 9W | IP54 | Die cast

67200A/G Grey

CE, Recycled, Energy Efficient, Dimmable, 60mm height, 132mm diameter, 20 units per box, Yellow beam spread.



67202 230V | GX53 | 9W | IP54 | Die cast

67202/G Grey

CE, Recycled, Energy Efficient, Dimmable, 58mm height, 132x132mm square, 20 units per box, Yellow beam spread.

67202A 230V | GX53 | 9W | IP54 | Die cast

67202A/G Grey

CE, Recycled, Energy Efficient, Dimmable, 61mm height, 132x132mm square, 20 units per box, Yellow beam spread.



67208

67208A

67204

67204A



67204B

230V | E27 | 2x20W | IP54 | Die cast

67204B/G Grey
67204B/BR Rust Brown



67208B

230V | E27 | 2x20W | IP54 | Die cast


67208B/G Grey
67208B/BR Rust Brown



67204A

230V | E27 | 20W | IP54 | Die cast

67204A/G Grey



67208A

230V | E27 | 20W | IP54 | Die cast


67208A/G Grey



67204

230V | E27 | 20W | IP54 | Die cast


67204/G Grey
67204/BR Rust Brown



67208

230V | E27 | 20W | IP54 | Die cast


67208/G Grey
67208/BR Rust Brown



67206

230V | E27 | 3x20W | IP54 | Die cast


67206/G Grey




67210

230V | E27 | 2x20W | IP54 | Die cast

67210/G Grey





67280 230V | E27 | 18W | IP65 | PC

67280/W White
67280/G Grey
67280/AN Anthracite

CE, Recycled, E27, Upward arrow, Dimensions: 245mm x 83mm, 12 units per box, Light distribution diagram.



67280A 230V | E27 | 2x18W | IP65 | PC

67280A/W White
67280A/G Grey
67280A/AN Anthracite

CE, Recycled, E27, Upward arrow, Dimensions: 307mm x 90mm, 8 units per box, Light distribution diagram.



67282 230V | E27 | 18W | IP65 | PC

67282/W White
67282/G Grey
67282/AN Anthracite

CE, Recycled, E27, Upward arrow, Dimensions: 240x240mm x 93mm, 12 units per box, Light distribution diagram.



67282A 230V | E27 | 2x18W | IP65 | PC

67282A/W White
67282A/G Grey
67282A/AN Anthracite

CE, Recycled, E27, Upward arrow, Dimensions: 296x296mm x 94mm, 8 units per box, Light distribution diagram.



67214 230V | E27 | 2x20W | IP54 | Die cast

67214/G Grey

CE, Recycled, E27, Upward arrow, Dimensions: 300mm x 95mm, 6 units per box, Light distribution diagram.



67216B 230V | E27 | 2x15W | IP54 | Die cast

67216B/G Grey

CE, Recycled, E27, Upward arrow, Dimensions: 180x280mm x 90mm, 10 units per box, Light distribution diagram.



67216 230V | E27 | 2x20W | IP54 | Die cast

67216/G Grey

CE, Recycled, E27, Upward arrow, Dimensions: 300x300mm x 95mm, 6 units per box, Light distribution diagram.



67328

230V | E27 | 20W | IP54 | Die cast + PC

67328/G Grey
67328/AN Anthracite



67292

230V | E27 | 2x15W | IP44 | Die cast + glass

67292/G Grey
67292/AN Anthracite



67328A

230V | E27 | 20W | IP54 | Die cast + PC

67328A/G Grey
67328A/AN Anthracite




67294

230V | E27 | 2x15W | IP44 | Die cast + glass

67294/G Grey
67294/AN Anthracite





67106

230V | G9 | 40W | IP54 | Die cast

67106/G Grey
67106/BR Rust Brown



67108

230V | G9 | 40W | IP54 | Die cast

67108/G Grey
67108/BR Rust Brown



67104

230V | G9 | 40W | IP54 | Die cast

67104/G Grey
67104/BR Rust Brown



67166


230V | G9 | 60W | IP54 | Die cast

67166/G Grey





	<p>67180 230V E27 15W IP44 Die cast + plastic</p> <p>67180/G Grey 67180/AN Anthracite</p> <p>CE, ENEC, Recycle, Left arrow</p> <p>190mm 245mm 230mm</p> <p>4</p>		<p>67186 230V E27 15W IP44 Die cast + plastic</p> <p>67186/G Grey 67186/AN Anthracite</p> <p>CE, ENEC, Recycle, Left arrow</p> <p>85mm 170mm 115mm</p> <p>12</p>
	<p>67182 230V E27 15W IP44 Die cast + plastic</p> <p>67182/G Grey 67182/AN Anthracite</p> <p>CE, ENEC, Recycle, Down arrow</p> <p>190mm 300mm</p> <p>4</p>		<p>67188 230V E27 15W IP44 Die cast + plastic</p> <p>67188/G Grey 67188/AN Anthracite</p> <p>CE, ENEC, Recycle, Down arrow</p> <p>85x85mm 300mm</p> <p>12</p>
	<p>67184 230V E27 15W IP44 Die cast + plastic</p> <p>67184/G Grey 67184/AN Anthracite</p> <p>CE, ENEC, Recycle, Down arrow</p> <p>190mm 850mm</p> <p>2</p>		<p>67190 230V E27 15W IP44 Die cast + plastic</p> <p>67190/G Grey 67190/AN Anthracite</p> <p>CE, ENEC, Recycle, Down arrow</p> <p>85x85mm 700mm</p> <p>6</p>



67086 230V | E27 | 15W | IP54 | Die cast

67086/G Grey
67086/BR Rust Brown

CE, E27, IP54, Recycle, Wall Mount

12

235mm
65mm



67088 230V | E27 | 2x15W | IP54 | Die cast

67088/G Grey
67088/BR Rust Brown

CE, E27, IP54, Recycle, Wall Mount

12

100mm 235mm
170mm



67090 230V | E27 | 15W | IP54 | Die cast

67090/G Grey
67090/BR Rust Brown

CE, E27, IP54, Recycle, Down Light

12

65mm 250mm



67092 230V | E27 | 15W | IP54 | Die cast

67092/G Grey
67092/BR Rust Brown

CE, E27, IP54, Recycle, Down Light

6

65mm 750mm



67094 230V | E27 | 20W | IP54 | Die cast

67094/G Grey
67094/BR Rust Brown

CE, E27, IP54, Recycle, Wall Mount

12

210mm
107mm



67096 230V | E27 | 2x20W | IP54 | Die cast

67096/G Grey
67096/BR Rust Brown

CE, E27, IP54, Recycle, Wall Mount

8

210mm
250mm



67098 230V | E27 | 2x20W | IP54 | Die cast

67098/G Grey
67098/BR Rust Brown

CE, E27, IP54, Recycle, Wall Mount

12

330mm
107mm



67100 230V | E27 | 20W | IP54 | Die cast

67100/G Grey
67100/BR Rust Brown

CE, E27, IP54, Recycle, Down Light

4

107mm 350mm




67102 230V | E27 | 20W | IP54 | Die cast

67102/G Grey
67102/BR Rust Brown

CE, E27, IP54, Recycle, Down Light

4


107mm 750mm



67060

230V | E27 | 15W | IP54 | Dia cast


67060/G Grey
67060/BR Rust Brown



67066

230V | E27 | 15W | IP54 | Dia cast


67066/G Grey
67066/BR Rust Brown



67068

230V | E27 | 15W | IP54 | Dia cast


67068/G Grey
67068/BR Rust Brown



67070

230V | E27 | 15W | IP54 | Dia cast


67070/G Grey
67070/BR Rust Brown



67062

230V | E27 | 15W | IP54 | Dia cast


67062/G Grey
67062/BR Rust Brown



67064

230V | E27 | 15W | IP54 | Dia cast

67064/G Grey
67064/BR Rust Brown





67266/G

67266/BR



67326



67264

230V | E27 | 20W | IP43 | Die cast | Dark light


67264/G Grey
67264/BR Rust Brown



67324

230V | GX53 | 11W | IP54 | Die cast



67324/G Grey
67324/AN Anthracite



67266

230V | E27 | 20W | IP43 | Die cast | Dark light


67266/G Grey
67266/BR Rust Brown



67326

230V | GX53 | 11W | IP54 | Die cast

67326/G Grey
67326/AN Anthracite





67156 230V | E27 | 20W | IP54 | Dia cast | Dark light

67156/G Grey

CE, ENEC, RoHS, Recycle, DARK LIGHT 6

310mm
120mm



67158 230V | E27 | 20W | IP54 | Die cast | Dark light

67158/G Grey

CE, ENEC, RoHS, Recycle, DARK LIGHT 4

700mm
120mm



67276 230V | GX24q3 | 32W | IP55 | Die cast

67276/G Grey

Complete with ballast

CE, ENEC, RoHS, Recycle

600mm
120x120mm



67262 230V | G24q1 | 13W | IP54 | Natural aluminium + acrylic

67262/AL Aluminium

Complete with ballast

CE, ENEC, RoHS, Recycle

188mm
98mm
60mm



67260 230V | G24q2 | 18W | IP54 | Natural aluminium + acrylic

67260/AL Aluminium

Complete with ballast

CE, ENEC, RoHS, Recycle

60x60mm
600mm



67268 230V | E27 | 16W | IP54 | Natural aluminium + acrylic

67268/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

6 units per box

Dimensions: 220mm height, 88mm diameter



67270 230V | E27 | 16W | IP54 | Natural aluminium + acrylic

67270/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

1 unit per box

Dimensions: 400mm height, 88mm diameter



67272 230V | E27 | 16W | IP54 | Natural aluminium + acrylic

67272/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

1 unit per box

Dimensions: 600mm height, 88mm diameter



67268A 230V | E27 | 20W | IP54 | Natural aluminium + acrylic

67268A/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

10 units per box

Dimensions: 214mm height, 80x80mm square



67272A 230V | E27 | 20W | IP54 | Natural aluminium + acrylic

67272A/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

4 units per box

Dimensions: 800mm height, 80x80mm square



67238A



67238



67236A




67236



67236

230V | E27 | 15W | IP54 | Natural aluminium

67236/AL Aluminium



250mm

140mm



67238

230V | E27 | 15W | IP54 | Natural aluminium

67238/AL Aluminium



250mm

100x100mm



67236A

230V | E27 | 15W | IP54 | Natural aluminium

67236A/AL Aluminium



600mm

140mm



67238A

230V | E27 | 15W | IP54 | Natural aluminium

67238A/AL Aluminium



600mm

100x100mm






67044

230V | E27 | 15W | IP54 | Natural aluminium


67044/AL Aluminium



67040

230V | G9 | 25W | IP54 | Natural aluminium


67040/AL Aluminium



67046

230V | E27 | 15W | IP54 | Natural aluminium

67046/AL Aluminium




67252

230V | 2G11 | 24W | IP54 | Natural aluminium

67252/AL Aluminium

Complete with ballast





67224 230V | GX53 | 9W | IP54 | Natural aluminium

67224/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

20

110mm

56mm



67220 230V | GX53 | 9W | IP54 | Natural aluminium

67220/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

20

93mm

65mm



67302 230V | GX53 | 9W | IP54 | Natural aluminium

67302/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

10

93mm

64mm

114mm



67302A 230V | GX53 | 2x9W | IP54 | Natural aluminium

67302A/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

10

93mm

92mm

114mm



67226 230V | GX53 | 9W | IP54 | Natural aluminium

67226/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

20

110mm

110mm

60mm



67222 230V | GX53 | 9W | IP54 | Natural aluminium

67222/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

20

90mm

90mm

64mm



67258 230V | GX53 | 9W | IP54 | Natural aluminium

67258/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

24

90mm

90mm

65mm



67228 230V | GX53 | 9W | IP54 | Natural aluminium

67228/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

20

110mm

69mm



12130 230V | GU10 | 35W | IP54 | Natural aluminium

12130/AL Aluminium

CE, ENEC, RoHS, Recycle, Dimmable

20

60mm

60mm


100mm



67230

230V | G9 | 25W | IP54 | Natural aluminium



67230/AL Aluminium



67232

230V | G9 | 25W | IP54 | Natural aluminium


67232/AL Aluminium



67160

230V | GU10 | 2x35W | IP54 | Natural aluminium


67160/AL Aluminium



6008

230V | GU10 | 2x35W | IP54 | Natural aluminium


6008/AL Aluminium



67163

230V | GU10 | 2x35W | IP54 | Natural aluminium


67163/AL Aluminium



67163A

230V | GU10 | 35W | IP54 | Natural aluminium


67163A/AL Aluminium






67300 230V | GU10 | 35W | IP54 | Natural aluminium | Adjustable

67300/AL Aluminium




67164 230V | GU10 | 35W | IP54 | Aluminium | Adjustable

67164/AL Aluminium
67164/G Grey
67164/BR Rust Brown



67162 230V | GU10 | 35W | IP54 | Aluminium | Adjustable



67162/AL Aluminium
67162/G Grey
67162/BR Rust Brown



67162A / 67162B Pole for 67164 and 67162 | Natural aluminium

22cm 67162A/AL Aluminium

44cm 67162B/AL Aluminium





67010



67010W



67012




67012W



67010

230V | E27 | 15W | IP44 | Stainless steel

67010




366mm



67010W

230V | E27 | 15W | IP44 | Teak + stainless steel

67010W




360mm



67012

230V | E27 | 15W | IP44 | Stainless steel

67012



300mm



67012W

230V | E27 | 15W | IP44 | Teak + stainless steel

67012W




350mm



67014

230V | E27 | 15W | IP44 | Stainless steel

67014




800mm



67014W

230V | E27 | 15W | IP44 | Teak + stainless steel

67014W



800mm





67002

230V | E27 | 15W | IP44 | Stainless steel

67002



67286

230V | E27 | 15W | IP44 | Teak + stainless steel


67286



67004

230V | E27 | 15W | IP44 | Stainless steel


67004



67006

230V | E27 | 15W | IP44 | Stainless steel


67006



67288

230V | E27 | 15W | IP44 | Teak + stainless steel


67288



67290

230V | E27 | 15W | IP44 | Teak + stainless steel

67290





67050

230V | E27 | 20W | IP44 | Stainless steel

67050



67052

230V | E27 | 20W | IP44 | Stainless steel



67052



67054

230V | E27 | 20W | IP44 | Stainless steel


67054



67056

230V | E27 | 20W | IP44 | Stainless steel

67056



67314

230V | E27 | 20W | IP54 | Stainless steel + glass

67314



67316

230V | E27 | 20W | IP54 | Stainless steel + glass

67316



67316A

230V | E27 | 26W | IP54 | Stainless steel + glass

67316A






7008

230V | GU10 | 35W | IP65 | 304 Stainless steel | Adjustable

7008

Supplied with base and spike




7008A

230V | GU10 | 35W | IP65 | 316 Stainless steel | Adjustable

7008A

Supplied with base and spike



7010

230V | E27 PAR38 | 80W | IP65 | 304 Stainless steel | Adjustable

7010

Supplied with base and spike




7010A

230V | E27 PAR38 | 80W | IP65 | 316 Stainless steel | Adjustable

7010A


Supplied with base and spike



67030

230V | GU10 | 2x35W | IP54 | Stainless steel


67030



67032

230V | GU10 | 35W | IP54 | Stainless steel | Adjustable

67032





7020 230V | Rx7s | 150W | IP54 | Die cast | Adjustable

7020/G/5 Grey



7026 230V | G12 | 35W/70W | IP65 | Die cast | Adjustable

7026/W White
7026/B Black
7026/G Grey

Complete with ballast
Ballast adjustable for 35w or 70w operation
(set on 70w default)




7026 10° reflector for 7026

7026/10



69006 230V | GX53 | 9W | IP67 | Stainless steel

69006



69008 230V | GX53 | 9W | IP67 | Stainless steel

69008

